



# AMMAGENOMICS

Accurate Molecular Mutation Analytical Genomics

FOOD TESTING LABORATORY



445 250623

**Sample Name** : TURMERIC

**Ref. By** : Direct

**Sent By** : Navaneetha krishnan, Mettupalayam

**AMDL** : 445

**Batch No** : N/A

**Printed** : 01/07/2023  
16:44:28

**Sample Collection** : 24/06/2023 13:34:16

**Sample Received** : 25/06/2023 10:35:14

**Report Released** : 01/07/2023 16:44:23

## Chemical Analysis

Test	Result	Unit	Method
Total Polyphenolic Content	: 5443	mg/Kg or mg/L	AMGCS FOOD PP KIT
Sample for Comparison	: 2638	mg/Kg or mg/L	
Ascorbic Acid	: 2468	mg/Kg or mg/L	AMGCS FOOD AX KIT
Sample for Comparison	: 923	mg/Kg or mg/L	
MDA	: 6.30	mg/Kg or mg/L	AMGCS FOOD MDA KIT
Sample for Comparison	: 8.20	mg/Kg or mg/L	
Co Enzyme Q10	: 874	mg/Kg or mg/L	AMGCS FOOD Q10 KIT
Sample for Comparison	: 341	mg/Kg or mg/L	
Curcumin	: 64.51	%	AMGCS FOOD CUR KIT
Sample for Comparison	: 34.61	%	


METHOD	INSTRUMENT
Spectrophotometry based Chemical Absorbance Method	SPECTRO star Nano Absorbance Plate Reader

- The laboratory uses certified methods and quality controls with precision instruments for reporting highly accurate results.
- This self-test was requested by the Customer for the supplied Food Sample.

(Collected At: 24/06/2023 13:34:16, Received At: 24/06/2023 13:34:16, Reported At: 01/07/2023 16:44:23)

----- End Of Report -----

  
**Dr. Pradheep Chhalliyil**  
Ph.D Biochemistry  
Lab Director

  
**B. Lavanya**  
M. Sc Chemistry  
Quality Manager

  
**T. Diwakar**  
B. Tech Biotechnology  
Technical Manager



AMMAGENOMICS

(Accurate Molecular Mutation Analytical Genomics)

No:1/87, Arcot Road Virugambakkam,  
Chennai-600 092, Ph:044 -35607780

\*\*Sample has been collected outside the laboratory. The results pertain to the sample received.

+91 7300636219 +91 8072949843 044 35607780 contact@ammagenomics.com www.ammagenomics.com  
Address :1/87- 1st Floor, Arcot Road, Saligramam, Chennai 600093  
GSTIN. 33ABTFA5291K1ZY