



AMMAGENOMICS

Accurate Molecular Mutation Analytical Genomics

FOOD TESTING LABORATORY



506 060723

Sample Name : NENDRIAM BANANA CHIPS

Job No : 506

Batch No : N/A

Sample Described By the Customer : Direct

Name & Address of the Customer : Chennai

Printed : 15/11/2023 18:27:03

AMGCS/FD/ : 506 060723

Sample Collected on : 05/07/2023 17:03:08

Sample Received on : 06/07/2023 10:34:58

Analysis Commenced On : 05/07/2023 17:03:08

Analysis Completed on : 13/07/2023 17:57:38

Sample Drawn By : Navaneetha krishnan, Mettupalayam

Chemical Analysis

Test	Result	Unit	Reference Range	Method
Total Polyphenolic Content	: 4359	mg/Kg		AMGCS FOOD PP KIT
Sample for Comparison	: 2918	mg/Kg		

Reference Range :

High - Above 7500 mg/L

Medium - 5000-7500 mg/L

Low - Less than 5000 mg/L

MDA : 30.15 mg/Kg **AMGCS FOOD MDA KIT**

METHOD	INSTRUMENT
Spectrophotometry based Chemical Absorbance Method	SPECTRO star Nano Absorbance Plate Reader

- The laboratory uses certified methods and quality controls with precision instruments for reporting highly accurate results.
- This self-test was requested by the Customer for the supplied Food Sample.

Sample for Comparison : 58.60 mg/L or mg/Kg

METHOD	INSTRUMENT
Spectrophotometry based Chemical Absorbance Method	SPECTRO star Nano Absorbance Plate Reader

- The laboratory uses certified methods and quality controls with precision instruments for reporting highly accurate results.
- This self-test was requested by the Customer for the supplied Food Sample.

(Collected At: 05/07/2023 17:03:08, Received At: 05/07/2023 17:03:08, Reported At: 13/07/2023 17:57:38)



----- End Of Report -----

AMMAGENOMICS

(Accurate Molecular Mutation Analytical Genomics)

No:1/87, Arcot Road Virugambakkam,

Chennai-600 092, Ph:044 -35607780

**Sample has been collected outside the laboratory. The results pertain to the sample received.

+91 7300636219 +91 8072949843 044 35607780 contact@ammagenomics.com www.ammagenomics.com

Address :1/87- 1st Floor, Arcot Road, Saligramam, Chennai 600093

GSTIN. 33ABTFA5291K1ZY



AMMAGENOMICS

Accurate Molecular Mutation Analytical Genomics

FOOD TESTING LABORATORY



506 060723


Sample Name : NENDRIAM BANANA CHIPS
Job No : 506
Batch No : N/A
Sample Described By the Customer : Direct
Name & Address of the Customer : Chennai
Printed : 15/11/2023 18:27:03

AMGCS/FD/ : 506 060723
Sample Collected on : 05/07/2023 17:03:08
Sample Received on : 06/07/2023 10:34:58
Analysis Commenced On : 05/07/2023 17:03:08
Analysis Completed on : 13/07/2023 17:57:38
Sample Drawn By : Navaneetha krishnan,
Mettupalayam

Dr. Pradheep Chhalliyil
Ph.D Biochemistry
Lab Director

B. Lavanya
M. Sc Chemistry
Quality Manager

T. Diwakar
B. Tech Biotechnology
Technical Manager



AMMAGENOMICS

(Accurate Molecular Mutation Analytical Genomics)

No:1/87, Arcot Road Virugambakkam,
Chennai-600 092, Ph:044 -35607780

**Sample has been collected outside the laboratory. The results pertain to the sample received.

+91 7300636219 +91 8072949843 044 35607780 contact@ammagenomics.com www.ammagenomics.com

Address :1/87- 1st Floor, Arcot Road, Saligramam, Chennai 600093

GSTIN. 33ABTFA5291K1ZY